THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE

IEE PROCEEDINGS-D

# Control Theory and Applications

Vol. 132, 1985

*Published by*
*The IEE, Savoy Place, London WC2R 0BL, United Kingdom*
*Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom*

IEE Proceedings Part D

# Control Theory and Applications

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom.
*Publishing Department:* PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

Volume 132 1985 UK ISSN 0143–7054

HONORARY EDITORS

Dr. D.W. Clark (*University of Oxford*)
Prof. N. Munro (*UMIST*)
Dr. P.J. Gawthrop (*University of Sussex*)

Pages in issues of *IEE Proceedings Part D*, 1985

| Pages | Issue No. | Date |
|---|---|---|
| 1–36 | 1 | January |
| 37–88 | 2 | March |
| 89–132 | 3 | May |
| 133–204 | 4 | July |
| 205–244 | 5 | September |
| 245–280 | 6 | November |

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/85 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling change of 50p per page, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELON G; facsimile: 01 240 7735

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1985: The Institution of Electrical Engineers

*Secretary of the IEE:* H.H.W. Losty
*Managing Editor:* Bernard Dunkley; *Senior Assistant Editor*: Stephen Cokeham
*Graphics Manager*: Maurice Partridge; *Marketing Manager*: Alan Baldwin

*Typeset by*: Santype International Ltd., Salisbury, Wilts., United Kingdom
*Printed by*: Unwin Brothers Ltd., Old Woking, Surrey, United Kingdom

# Index

**IEE Proceedings Part D**
**Control Theory and Applications**
**Vol. 132, 1985**

**ABBREVIATIONS**

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

## Author index


### A

Ahmed, M.S. Computationally efficient IV algorithm for structure and parameter identification of linear systems p37
Ambrosino, G., Celentano, G., and Garofalo, F. Adaptive model following control of plants with nonlinearities of known form p11
Anderson, B.D.O., and Parks, P.C. Lumped approximation of distributed systems and controllability questions p89
Asbury, A.J., Linkens, D.A., and Menad, M. see Linkens, D.A.

### B

Bada, A.T. Design of delayed control systems using Zakian's framework p251
Baker, J.E., Vitols, R., Murphy, B.J.M., Wray, G.R., and King, T.G. see Vitols, R.
Balachandran, K. Global and local controllability of nonlinear systems p14
Balmer, L., and Douce, J.L. see Douce, J.L.
Bargiela, A. An algorithm for observability determination in water-system state estimation p245
Bonvin, D. On the selection of states to be retained in a reduced-order model d86

### C

Campbell, S.L. On using orthogonal functions for the analysis of singular systems d131
Celentano, G., Ambrosino, G., and Garofalo, F. see Ambrosino, G.
Clark, S., Lucas, J., and Parker, A.B. Seam tracker for TIG welding p164
Clarke, D.W., and Tuffs, P.S. see Tuffs, P.S.
Co, T., and Ydstie, B.E. see Ydstie, B.E.

### D

Daniels, M.W., and Johnson, M.A. see Johnson, M.A.
Davies, E.R. Radial histograms as an aid in the inspection of circular objects p158
Douce, J.L., and Balmer, L. Transient effects in spectrum estimation p25
Drazan, P.J., and Hopkins, S.H. see Hopkins, S.H.

### F

Fernando, K.V., and Nicholson, H. Identification of linear systems with input and output noise: the Koopmans-Levin method p30

### G

Garofalo, F., Ambrosino, G., and Celentano, G. see Ambrosino, G.
Gascoigne, J.D., Weston, R.H., and Sumpter, C.M. see Weston, R.H.
Geromel, J.C., and Peres, P.L.D. Decentralised load-frequency control p225
Gopal, M., and Pratapachandran Nair, P. Sensitivity-reduced optimal discrete linear regulator with prescribed closed-loop eigenvalues p18
Graham, J.H., and Meagher, J.F. A sensory-based robotic safety system p183
Grimble, M.J. LQG design of discrete systems using a dual criterion p61
Grujić, Lj., and Shaaban, H. see Shaaban, H.

### H

Hopkins, S.H., and Drazan, P.J. Semiautonomous systems in automatic assembly p174
Houpis, C.H. Refined design method for sampled-data control systems: the pseudo-continuous-time (PCT) control system design p69

### I

Irwin, G.W., Roddy, D.J., and Wilson, H. see Roddy, D.J.
Iwazumi, T., and Kando, H. see Kando, H.

### J

Johnson, M.A., and Daniels, M.W. Identification of essential states for reduced-order models using a modal analysis p111

### K

Kando, H., and Iwazumi, T. Design of observers and stabilising feedback controllers for singularly perturbed discrete systems p1
Kidd, P.T., Munro, N., and Winterbone, D.E. Design of compensation schemes for a nonminimum-phase multivariable plant p75
Kikucki, M., and Sano, A. see Sano, A.
King, T.G., Vitols, R., Murphy, B.J.M., Wray, G.R., and Baker, J.E. see Vitols, R.

### L

Lastman, G.J., Sinha, N.K., and Rózsa, P. On the selection of states to be retained in a reduced-order model d86
Lewis, C.P. w-domain design of single- and double-valued relay control systems p219
Linkens, D.A., Menad, M., and Asbury, A.J. Smith predictor and self-tuning control of muscle-relaxant drug administration p212
Lucas, J., Clark, S., and Parker, A.B. see Clark, S.

### M

MacDonald, N. Comments on a simplified analytical stability test for systems with delay p237
Mahalanabis, A.K., and Pal, J.K. Optimal regulator design of linear multivariable systems with prescribed pole locations in the presence of system disturbances p231
Mamdani, E.H., Mandič, N.J., and Scharf, E.M. see Mandič, N.J.
Mandič, N.J., Scharf, E.M., and Mamdani, E.H. Practical application of a heuristic fuzzy rule-based controller to the dynamic control of a robot arm p190
Marszalek, W. On using orthogonal functions with singular systems d131
Meagher, J.F., and Graham, J.H. see Graham, J.H.
Menad, M., Linkens, D.A., and Asbury, A.J. see Linkens, D.A.
Munro, N., Kidd, P.T., and Winterbone, D.E. see Kidd, P.T.
Murphy, B.J.M., Vitols, R., Wray, G.R., Baker, J.E., and King, T.G. see Vitols, R.

### N

Neuman, C.P., and Tourassis, V.D. see Tourassis, V.D.
Nicholson, H., and Fernando, K.V. see Fernando, K.V.

### O

Omani, F.K., and Sinha, N.K. Modified approach to state-space self-tuning control with pole assignment p257

### P

Pal, J.K., and Mahalanabis, A.K. see Mahalanabis, A.K.
Papliński, A.P. Matrix multiplication and division of polynomials p95
Parker, A.B., Clark, S., and Lucas, J. see Clark, S.
Parks, P.C., and Anderson, B.D.O. see Anderson, B.D.O.
Peres, P.L.D., and Geromel, J.C. see Geromel, J.C.
Petkovski, D. Robustness of decentralised control systems subject to sensor perturbations p53
Pratapachandran Nair, P., and Gopal, M. see Gopal, M.
Puthenpura, S., and Sinha, N.K. see Sinha, N.K.

### R

Rózsa, P., Lastman, G.J., and Sinha, N.K. see Lastman, G.J.
Roddy, D.J., Irwin, G.W., and Wilson, H. Approaches to roll-loop design for BTT CLOS guidance p268

### S

Sano, A., and Kikucki, M. Adaptive control of arterial oxygen pressure of newborn infants under incubator oxygen treatments p205
Scharf, E.M., Mandič, N.J., and Mamdani, E.H. see Mandič, N.J.
Shaaban, H., and Grujić, Lj. Transient stability analysis of large-scale power systems with speed governor via vector Lyapunov functions p45
Sinha, N.K., Lastman, G.J., and Rózsa, P. see Lastman, G.J.
Sinha, N.K., and Omani, F.K. see Omani, F.K.
Sinha, N.K., and Puthenpura, S. Choice of the sampling interval for the identification of continuous-time systems from samples of input/output data p263
Stoten, D.P. A unified approach to the decoupled discrete adaptive control of manipulators p151
Sumpter, C.M., Weston, R.H., and Gascoigne, J.D. see Weston, R.H.

### T

Tourassis, V.D., and Neuman, C.P. Robust nonlinear feedback control for robotic manipulators p134
Tuffs, P.S., and Clarke, D.W. Self-tuning control of offset: a unified approach p100

### V

Virk, G.S. Runge Kutta method for delay-differential systems p119
Vitols, R., Murphy, B.J.M., Wray, G.R., Baker, J.E., and King, T.G. Development of computer-controlled machinery for the making up of garments p178

### W

Weston, R.H., Gascoigne, J.D., and Sumpter, C.M. Intelligent interfaces for robots p168
Williams, S.J. Frequency response multivariable control of robotic manipulators p144
Wilson, H., Roddy, D.J., and Irwin, G.W. see Roddy, D.J.
Winterbone, D.E., Kidd, P.T., and Munro, N. see Kidd, P.T.
Wray, G.R., Vitols, R., Murphy, B.J.M., Baker, J.E., and King, T.G. see Vitols, R.

### Y

Ydstie, B.E., and Co, T. Recursive estimation with adaptive divergence control p124

### Z

Zinober, A.S.I. Accuracy of time-optimal control of the diffusion equation using a spatial discretisation technique p239

## Subject index


Adaptive control of arterial oxygen pressure of newborn infants under incubator oxygen treatments. A. Sano and M. Kikucki p205
Smith predictor and self-tuning control of muscle-relaxant drug administration. D.A. Linkens, M. Menad and A.J. Asbury p212

### ADAPTIVE CONTROL

Adaptive model following control of plants with nonlinearities of known form. G. Ambrosino, G. Celentano and F. Garofalo p11
Recursive estimation with adaptive divergence control. B.E. Ydstie and T. Co p124

### ALGORITHMS

Computationally efficient IV algorithm for structure and parameter identification of linear systems. M.S. Ahmed p37
Identification of linear systems with input and output noise: the Koopmans-Levin method. K.V. Fernando and H. Nicholson p30

### COMPUTER APPLICATIONS

A sensory-based robotic safety system. J.H. Graham and J.F. Meagher p183
Development of computer-controlled machinery for the making up of garments. R. Vitols, B.J.M. Murphy, G.R. Wray, J.E. Baker and T.G. King p178

### COMPUTER SIMULATION

Accuracy of time-optimal control of the diffusion equation using a spatial discretisation technique. A.S.I. Zinober p239

### CONTROL EQUIPMENT AND APPLICATIONS

Adaptive control of arterial oxygen pressure of newborn infants under incubator oxygen treatments. A. Sano and M. Kikucki p205
An algorithm for observability determination in water-system state estimation. A. Bargiela p245
Approaches to roll-loop design for BTT CLOS guidance. D.J. Roddy, G.W. Irwin and H. Wilson p268
Design of compensation schemes for a nonminimum-phase multivariable plant. P.T. Kidd, N. Munro and D.E. Winterbone p75
Design of delayed control systems using Zakian's framework. A.T. Bada p251
Frequency response multivariable control of robotic manipulators. S.J. Williams p144
Smith predictor and self-tuning control of muscle-relaxant drug administration. D.A. Linkens, M. Menad and A.J. Asbury p212

### CONTROL SYSTEMS

An algorithm for observability determination in water-system state estimation. A. Bargiela p245
Choice of the sampling interval for the identification of continuous-time systems from samples of input/output data. N.K. Sinha and S. Puthenpura p263
Computationally efficient IV algorithm for structure and parameter identification of linear systems. M.S. Ahmed p37
Decentralised load-frequency control. J.C. Geromel and P.L.D. Peres p225
Design of compensation schemes for a nonminimum-phase multivariable plant. P.T. Kidd, N. Munro and D.E. Winterbone p75
Design of delayed control systems using Zakian's framework. A.T. Bada p251
Design of observers and stabilising feedback controllers for singularly perturbed discrete systems. H. Kando and T. Iwazumi p1
Modified approach to state-space self-tuning control with pole assignment. F.K. Omani and N.K. Sinha p257
Practical application of a heuristic fuzzy rule-based controller to the dynamic control of a robot arm. N.J. Mandič, E.M. Scharf and E.H. Mamdani p190
Refined design method for sampled-data control systems: the pseudo-continuous-time (PCT) control system design. C.H. Houpis p69
Robust nonlinear feedback control for robotic manipulators. V.D. Tourassis and C.P. Neuman p134
Self-tuning control of offset: a unified approach. P.S. Tuffs and D.W. Clarke p100
Smith predictor and self-tuning control of muscle-relaxant drug administration. D.A. Linkens, M. Menad and A.J. Asbury p212
Transient stability analysis of large-scale power systems with speed governor via vector Lyapunov functions. H. Shaaban and Lj. Grujič p45
w-domain design of single- and double-valued relay control systems. C.P. Lewis p219

### CONTROL THEORY

. S.L. Campbell p131
A unified approach to the decoupled discrete adaptive control of manipulators. D.P. Stoten p151
Accuracy of time-optimal control of the diffusion equation using a spatial discretisation technique. A.S.I. Zinober p239
An algorithm for observability determination in water-system state estimation. A. Bargiela p245
Approaches to roll-loop design for BTT CLOS guidance. D.J. Roddy, G.W. Irwin and H. Wilson p268
Choice of the sampling interval for the identification of continuous-time systems from samples of input/output data. N.K. Sinha and S. Puthenpura p263
Comments on a simplified analytical stability test for systems with delay. N. MacDonald p237
Decentralised load-frequency control. J.C. Geromel and P.L.D. Peres p225
Design of delayed control systems using Zakian's framework. A.T. Bada p251
Global and local controllability of nonlinear systems. K. Balachandran p14
Identification of linear systems with input and output noise: the Koopmans-Levin method. K.V. Fernando and H. Nicholson p30
LQG design of discrete systems using a dual criterion. M.J. Grimble p61
Lumped approximation of distributed systems and controllability questions. B.D.O. Anderson and P.C. Parks p89
Modified approach to state-space self-tuning control with pole assignment. F.K. Omani and N.K. Sinha p257
On the selection of states to be retained in a reduced-order model. G.J. Lastman, N.K. Sinha and P. Rózsa d86
Practical application of a heuristic fuzzy rule-based controller to the dynamic control of a robot arm. N.J. Mandič, E.M. Scharf and E.H. Mamdani p190
Refined design method for sampled-data control systems: the pseudo-continuous-time (PCT) control system design. C.H. Houpis p69
Robustness of decentralised control systems subject to sensor perturbations. D. Petkovski p53
w-domain design of single- and double-valued relay control systems. C.P. Lewis p219

### DIGITAL CONTROL

Design of observers and stabilising feedback controllers for singularly perturbed discrete systems. H. Kando and T. Iwazumi p1

### ERRORS AND ERROR ANALYSIS

Transient effects in spectrum estimation. J.L. Douce and L. Balmer p25

### FEEDBACK

Robust nonlinear feedback control for robotic manipulators. V.D. Tourassis and C.P. Neuman p134

### FILTERS AND FILTERING

Recursive estimation with adaptive divergence control. B.E. Ydstie and T. Co p124

### GRAPH THEORY AND TOPOLOGY

Modified approach to state-space self-tuning control with pole assignment. F.K. Omani and N.K. Sinha p257

### IMAGE PROCESSING

Radial histograms as an aid in the inspection of circular objects. E.R. Davies p158

### LINEAR NETWORKS

Comments on a simplified analytical stability test for systems with delay. N. MacDonald p237

### MATHEMATICAL TECHNIQUES

. S.L. Campbell p131
An algorithm for observability determination in water-system state estimation. A. Bargiela p245
Choice of the sampling interval for the identification of continuous-time systems from samples of input/output data. N.K. Sinha and S. Puthenpura p263
LQG design of discrete systems using a dual criterion. M.J. Grimble p61
Lumped approximation of distributed systems and controllability questions. B.D.O. Anderson and P.C. Parks p89
Matrix multiplication and division of polynomials. A.P. Papliński p95
Runge Kutta method for delay-differential systems. G.S. Virk p119

### MATRIX ALGEBRA

Matrix multiplication and division of polynomials. A.P. Papliński p95

### MODELLING

Identification of essential states for reduced-order models using a modal analysis. M.A. Johnson and M.W. Daniels p111
Self-tuning control of offset: a unified approach. P.S. Tuffs and D.W. Clarke p100

### MULTIVARIABLE CONTROL SYSTEMS

Design of compensation schemes for a nonminimum-phase multivariable plant. P.T. Kidd, N. Munro and D.E. Winterbone p75
Frequency response multivariable control of robotic manipulators. S.J. Williams p144
Optimal regulator design of linear multivariable systems with prescribed pole locations in the presence of system disturbances. A.K. Mahalanabis and J.K. Pal p231
Sensitivity-reduced optimal discrete linear regulator with prescribed closed-loop eigenvalues. M. Gopal and P. Pratapachandran Nair p18

### NOISE AND INTERFERENCE

Identification of linear systems with input and output noise: the Koopmans-Levin method. K.V. Fernando and H. Nicholson p30

### NONLINEAR SYSTEMS

Adaptive model following control of plants with nonlinearities of known form. G. Ambrosino, G. Celentano and F. Garofalo p11
Global and local controllability of nonlinear systems. K. Balachandran p14

### OPTIMAL CONTROL

Accuracy of time-optimal control of the diffusion equation using a spatial discretisation technique. A.S.I. Zinober p239
Optimal regulator design of linear multivariable systems with prescribed pole locations in the presence of system disturbances. A.K. Mahalanabis and J.K. Pal p231
Sensitivity-reduced optimal discrete linear regulator with prescribed closed-loop eigenvalues. M. Gopal and P. Pratapachandran Nair p18

### OPTIMISATION

Accuracy of time-optimal control of the diffusion equation using a spatial discretisation technique. A.S.I. Zinober p239

### OPTOELECTRONICS

Adaptive control of arterial oxygen pressure of newborn infants under incubator oxygen treatments. A. Sano and M. Kikucki p205

**PERTURBATION THEORY**

Robustness of decentralised control systems subject to sensor perturbations. D. Petkovski p53

**PICTURE PROCESSING AND PATTERN RECOGNITION**

Radial histograms as an aid in the inspection of circular objects. E.R. Davies p158

**POWER SYSTEMS AND PLANT**

Transient stability analysis of large-scale power systems with speed governor via vector Lyapunov functions. H. Shaaban and Lj. Grujić p45

**PROCESS CONTROL**

Seam tracker for TIG welding. S. Clark, J. Lucas and A.B. Parker p164

**PRODUCTION ENGINEERING**

Intelligent interfaces for robots. R.H. Weston, J.D. Gascoigne and C.M. Sumpter p168
Semiautonomous systems in automatic assembly. S.H. Hopkins and P.J. Drazan p174

**RELAYS**

w-domain design of single- and double-valued relay control systems. C.P. Lewis p219

**ROBOTICS**

A sensory-based robotic safety system. J.H. Graham and J.F. Meagher p183
A unified approach to the decoupled discrete adaptive control of manipulators. D.P. Stoten p151
Development of computer-controlled machinery for the making up of garments. R. Vitols, B.J.M. Murphy, G.R. Wray, J.E. Baker and T.G. King p178
Frequency response multivariable control of robotic manipulators. S.J. Williams p144
Intelligent interfaces for robots. R.H. Weston, J.D. Gascoigne and C.M. Sumpter p168
Practical application of a heuristic fuzzy rule-based controller to the dynamic control of a robot arm. N.J. Mandič, E.M. Scharf and E.H. Mamdani p190
Radial histograms as an aid in the inspection of circular objects. E.R. Davies p158
Robotics (Editorial). P.G. Davey and R.W. Daniel. p133
Robust nonlinear feedback control for robotic manipulators. V.D. Tourassis and C.P. Neuman p134
Seam tracker for TIG welding. S. Clark, J. Lucas and A.B. Parker p164
Semiautonomous systems in automatic assembly. S.H. Hopkins and P.J. Drazan p174

**STABILITY**

Comments on a simplified analytical stability test for systems with delay. N. MacDonald p237
Transient stability analysis of large-scale power systems with speed governor via vector Lyapunov functions. H. Shaaban and Lj. Grujić p45

**Book reviews**

Digital control system analysis and design. C.L. Phillips and H.T. Nagle (Jun.) p277
Microprocessor based robots M.J. Robillard p87
Theory and applications of linear differential equations—a systems approach in engineering R.M. Johnson p279

**Conference reports**

4th IMA international conference on control theory M.J. Grimble p24

**Conference publications**

252 Control 85 p242